ELSEVIER

Journal of Organometallic Chemistry 516 (1996) 245

Journal of Organometallic Chemistry

Author Index of Volume 516

Abu-Gnim, C., 235
Amer, I., 235
Ando, W., 155
Asano, K., 155
Aupers, J.H., 199

Borchert, T., 187
Bott, S.G., 65

Cabestaing, C., 11
Čásenský, B., 115
Černý, Z., 115
Chen, J., 81
Chen, Q., 25
Cheng, H., 1
Choi, N., 155
Chou, L.-F., 123
Cooney, J.M., 191
Cox, P.J., 213

Del Rosario Benites, M., 17
Díaz, C., 59
Doidge-Harrison, S.M.S.V., 199

Fernández-Galán, R., 97
Fronczek, F.R., 17
Fusek, J., 115

Garden, S.J., 213
Godry, B., 133
Gyepes, R., 177

Han, J.S., 91
Hayakawa, M., 111
Herrmann, R., 225
Hiller, J., 177
Hong, F.-E., 123
Howie, R.A., 213
Hursthouse, M.B., 167

Irvine, J.T.S., 199

Jalón, F.A., 97
Jaouen, G., 11
Jedlicka, B., 97
Jung, I.N., 91

Keglevich, G., 139
Khan, A., 199
Klahn, A.H., 51
Kooijman, H., 97
Kříž, O., 115
Kuang, S.-M., 1

Leal, C., 59
Lin, C.-C., 123
Lin, S., 207
Liou, M.-W., 123
Liu, L.-K., 207
Liu, Q., 81
Liu, Z.-X., 1
Lo, S.-C., 123
Ludányi, K., 139

Mach, K., 177
Macháček, J., 115
Main, L., 191
Malik, K.M.A., 167
Manzano, B.R., 97
Manzur, C., 51
Maverick, A.W., 17
Melvin, O.A., 213
Mitani, M., 111
Mitchell, T.N., 133
Moore, M., 51
Mukaiyama, T., 111

Nicholson, B.K., 191

Oouchi, K., 111
Opromolla, G., 167
Osborne, A.G., 167

Pankowski, M., 11
Polášek, M., 177
Pritzkow, H., 187

Radu, N.S., 41
Rheingold, A.L., 41
Richmond, M.G., 65
Rodríguez-de la Fuente, J., 97
Rülke, R.E., 97

Sato, N., 155
Scherer, W., 225
Šindelář, P., 177
Spek, A.L., 97
Spencer, G.M., 199
Steinmetz, M.G., 25
Szöllősy, Á., 139

Thewalt, U., 177
Tilley, T.D., 41
Tőke, L., 139
Toro, A., 51

Uhlig, W., 147
Újszászy, K., 139

Veldman, N., 97

Wadepohl, H., 187
Wagner, G., 225
Wang, H.-G., 1
Wang, N.-T., 207
Wang, X., 81
Wardell, J.L., 199, 213
Webba da Silva, M., 167
Weissensteiner, W., 97
Wu, H.-Y., 207
Wu, Q., 81

Yamada, T., 111
Yang, K., 65
Yeon, S.H., 91
Yoo, B.R., 91
Yu, Y., 81
Yutronic, N., 59

Zanello, P., 167
Zhang, J.-K., 1
Zhang, Z.-Z., 1
Zheng, Y., 25
Zhou, Y.-Q., 1

ELSEVIER

Journal of Organometallic Chemistry 516 (1996) 247–251

Journal of Organometallic Chemistry

Subject Index of Volume 516

Activation
Reduction during π-(cyclopentadienyliron) complexation of 1,8-dichloroanthracene (M. Del Rosario Benites, F.R. Fronczek and A.W. Maverick), 17

Acyl
Synthesis and crystal structure of $[(\eta^5\text{-}C_5H_5)_2Ti(\eta^2\text{-}COR)\text{-}B(C_6H_5)_3CN]$ (M. Pankowski, C. Cabestaing and G. Jaouen), 11

Alkoxohydridoaluminates
Alkoxohydridoaluminates: multinuclear NMR study of sodium hydrido-(2-methoxyethoxo)aluminates (Z. Černý, J. Fusek, J. Macháček, O. Kříž and B. Čásenský), 115

Alkyls
Dialkyldicarbonyl rhenium complexes $(\eta^5\text{-}C_5Me_5)Re(CO)_2R_2$, R = Me and Et. X-ray structure of *trans*-$(\eta^5\text{-}C_5Me_5)Re(CO)_2Et_2$ (A.H. Klahn, C. Manzur, A. Toro and M. Moore), 51

Alkyne complexes
Regioselective phosphine attack on the coordinated alkyne in $Co_2(\mu\text{-alkyne})$ complexes. Reactivity studies and X-ray diffraction structures of $Co_2(CO)_4(bma)(\mu\text{-}HC{\equiv}C^tBu)$ and the zwitterionic hydrocarbyl complexes $Co_2(CO)_4[\mu\text{-}\eta^2{:}\eta^2{:}\eta^1{:}\eta^1\text{-}RC{=}C(R')PPh_2C{=}C(PPh_2)C(O)OC(O)]$ (K. Yang, S.G. Bott and M.G. Richmond), 65

Aluminium
Alkoxohydridoaluminates: multinuclear NMR study of sodium hydrido-(2-methoxyethoxo)aluminates (Z. Černý, J. Fusek, J. Macháček, O. Kříž and B. Čásenský), 115

Aminophosphine
Phosphine oxides as ligands in the hydroformylation reaction (C. Abu-Gnim and I. Amer), 235

Anthracene
Reduction during π-(cyclopentadienyliron) complexation of 1,8-dichloroanthracene (M. Del Rosario Benites, F.R. Fronczek and A.W. Maverick), 17

Arene
Reduction during π-(cyclopentadienyliron) complexation of 1,8-dichloroanthracene (M. Del Rosario Benites, F.R. Fronczek and A.W. Maverick), 17

Arene clusters
Organometallic cluster complexes with face-capping arene ligands VII. Nucleophilic substitution of fluoride in a facially coordinated arene ligand (H. Wadepohl, T. Borchert and H. Pritzkow), 187

Aryllithium reagents
Reaction of tricarbonyl(*exo*-cyclopentadienyl-η^5-cyclohexadienyl)-manganese with aryllithium reagents: crystal structures of $[C_5H_5\text{-}\{(\eta^5\text{-}C_6H_6)(CO)_2Mn{=}C(OC_2H_5)C_6H_5\}]$ and $[C_5H_5\text{-}\{(\eta^5\text{-}C_6H_6)(CO)_2Mn{=}C(OC_2H_5)C_6H_4CH_3\text{-}o\}]$ (Y. Yu, J. Chen, X. Wang, Q. Wu and Q. Liu), 81

Bicyclo [*k.l.m*]alkanes
Synthesis and reactions of polythiadisilabicyclo[*k.l.m*]alkanes (N. Choi, K. Asano, N. Sato and W. Ando), 155

Binuclear complex
Coordination chemistry of organometallic polydentate ligands. Studies on the syntheses and properties of Fe–M binuclear complexes prepared from organometallic tridentate ligand trans-$Fe(CO)_3(Ph_2Ppy)_2$ (Ph_2Ppy = 2-(diphenylphosphino)pyridine) (Z.-Z. Zhang, H. Cheng, S.-M. Kuang, Y.-Q. Zhou, Z.-X. Liu, J.-K. Zhang and H.-G. Wang), 1

Carbene complexes
Reaction of tricarbonyl(*exo*-cyclopentadienyl-η^5-cyclohexadienyl)-manganese with aryllithium reagents: crystal structures of $[C_5H_5\text{-}\{(\eta^5\text{-}C_6H_6)(CO)_2Mn{=}C(OC_2H_5)C_6H_5\}]$ and $[C_5H_5\text{-}\{(\eta^5\text{-}C_6H_6)(CO)_2Mn{=}C(OC_2H_5)C_6H_4CH_3\text{-}o\}]$ (Y. Yu, J. Chen, X. Wang, Q. Wu and Q. Liu), 81

Carbonyl
Reactions of orthomanganated aryl ketones with PhNSO and related species: a new route to orthomanganated imines (J.M. Cooney, L. Main and B.K. Nicholson), 191
Synthesis and characterization of dinuclear m- and o-xylene bridged complexes of cyclopentadienyltricarbonylmolybdenum and their derivatives. The crystal structure of bis(methylcyclopentadienyltricarbonylmolybdenum)-α,α'-μ-o-xylene (S. Lin, L.-K. Liu, N.-T. Wang and H.-Y. Wu), 207

Catalysis
Phosphine oxides as ligands in the hydroformylation reaction (C. Abu-Gnim and I. Amer), 235

Cobalt
Regioselective phosphine attack on the coordinated alkyne in $Co_2(\mu\text{-alkyne})$ complexes. Reactivity studies and X-ray diffraction structures of $Co_2(CO)_4(bma)(\mu\text{-}HC{\equiv}C^tBu)$ and the zwitterionic hydrocarbyl complexes $Co_2(CO)_4[\mu\text{-}\eta^2{:}\eta^2{:}\eta^1{:}\eta^1\text{-}RC{=}C(R')PPh_2C{=}C(PPh_2)C(O)OC(O)]$ (K. Yang, S.G. Bott and M.G. Richmond), 65

Cr
Nucleophilic substitution reactions of $(\eta^6\text{-fluorotoluene})Cr(CO)_3$ and $(\eta^6\text{-fluoroanisole})Cr(CO)_3$ toward phenylacetylide, fluorenyl, indolinyl and carbazolinyl lithium: crystal structures of tricarbonyl[η^6-(1,2-diphenylethynyl)benzene]chromium and tricarbonyl[η^6-(1,4-fluorenyl)toluene]chromium (F.-E. Hong, S.-C. Lo, M.-W. Liou, L.-F. Chou and C.-C. Lin), 123

Crystal structure
[6-*O*-(1,2:3,4-Di-*O*-isopropylidene-α-D-galactopyranosyl)methyl]tin derivatives (P.J. Cox, S.J. Garden, R.A. Howie, O.A. Melvin and J.L. Wardell), 213
Dialkyldicarbonyl rhenium complexes $(\eta^5\text{-}C_5Me_5)Re(CO)_2R_2$, R = Me and Et. X-ray structure of *trans*-$(\eta^5\text{-}C_5Me_5)Re(CO)_2Et_2$ (A.H. Klahn, C. Manzur, A. Toro and M. Moore), 51
Diorganotin 1,3-dithiole-2-thione-4,5-dithiolate compounds, $R_2Sn(dmit)$: the crystal structure of MePhSn(dmit) (S.M.S.V. Doidge-Harrison, J.T.S. Irvine, A. Khan, G.M. Spencer, J.L. Wardell and J.H. Aupers), 199

Novel zirconacyclopentadiene complex; 8,8-bis(cyclopentadienyl)-7,9-bis(trimethylstannyl)-8-zirconabicyclo[4.3.0]nona-1(9),6(7)-diene: synthesis, X-ray analysis, and catalytic activity for ethylene polymerization (K. Oouchi, M. Mitani, M. Hayakawa, T. Yamada and T. Mukaiyama), 111

Reaction of tricarbonyl(*exo*-cyclopentadienyl-η^5-cyclohexadienyl)-manganese with aryllithium reagents: crystal structures of $[C_5H_5\text{-}\{(\eta^5\text{-}C_6H_6)(CO)_2Mn{=}C(OC_2H_5)C_6H_5\}]$ and $[C_5H_5\text{-}\{(\eta^5\text{-}C_6H_6)(CO)_2Mn{=}C(OC_2H_5)C_6H_4CH_3\text{-}o\}]$ (Y. Yu, J. Chen, X. Wang, Q. Wu and Q. Liu), 81

Reactions of orthomanganated aryl ketones with PhNSO and related species: a new route to orthomanganated imines (J.M. Cooney, L. Main and B.K. Nicholson), 191

Synthetic, structural and electrochemical studies on some ferrocenylazines: crystal structures of [4](1)(1,4-dimethyl-2,3-diazabuta-1,3-dien)ferrocenophane and [4$_2$](1,1′)bis(1,4-dimethyl-2,3-diazabuta-1,3-dien)ferrocenophane (A.G. Osborne, M. Webba da Silva, M.B. Hursthouse, K.M.A. Malik, G. Opromolla and P. Zanello), 167

Cyanide

Synthesis and crystal structure of $[(\eta^5\text{-}C_5H_5)_2Ti(\eta^2\text{-}COR)\text{-}B(C_6H_5)_3CN]$ (M. Pankowski, C. Cabestaing and G. Jaouen), 11

Cyclopentadienyl

Synthesis and characterization of dinuclear m- and o-xylene bridged complexes of cyclopentadienyltricarbonylmolybdenum and their derivatives. The crystal structure of bis(methylcyclopentadienyltricarbonylmolybdenum)-α,α'-μ-o-xylene (S. Lin, L.-K. Liu, N.-T. Wang and H.-Y. Wu), 207

Synthesis and crystal structure of $[(\eta^5\text{-}C_5H_5)_2Ti(\eta^2\text{-}COR)\text{-}B(C_6H_5)_3CN]$ (M. Pankowski, C. Cabestaing and G. Jaouen), 11

Cyclopentadienyl cobalt

Organometallic cluster complexes with face-capping arene ligands VII. Nucleophilic substitution of fluoride in a facially coordinated arene ligand (H. Wadepohl, T. Borchert and H. Pritzkow), 187

Cyclopentadienyls

Dialkyldicarbonyl rhenium complexes $(\eta^5\text{-}C_5Me_5)Re(CO)_2R_2$, R = Me and Et. X-ray structure of *trans*-$(\eta^5\text{-}C_5Me_5)Re(CO)_2Et_2$ (A.H. Klahn, C. Manzur, A. Toro and M. Moore), 51

Neutral lanthanide silyl complexes via σ-bond metathesis reactions (N.S. Radu, T.D. Tilley and A.L. Rheingold), 41

Reduction during π-(cyclopentadienyliron) complexation of 1,8-dichloroanthracene (M. Del Rosario Benites, F.R. Fronczek and A.W. Maverick), 17

Dichlorocarbene

Synthesis of phosphine–borane complexes of P-heterocycles (G. Keglevich, K. Újszászy, Á. Szöllősy, K. Ludányi and L. Tőke), 139

Dihydro-1H-phosphole

Synthesis of phosphine–borane complexes of P-heterocycles (G. Keglevich, K. Újszászy, Á. Szöllősy, K. Ludányi and L. Tőke), 139

Dihydrophosphinine

Synthesis of phosphine–borane complexes of P-heterocycles (G. Keglevich, K. Újszászy, Á. Szöllősy, K. Ludányi and L. Tőke), 139

Donor–acceptor bond

Coordination chemistry of organometallic polydentate ligands. Studies on the syntheses and properties of Fe–M binuclear complexes prepared from organometallic tridentate ligand trans-$Fe(CO)_3(Ph_2Ppy)_2$ (Ph_2Ppy = 2-(diphenylphosphino)pyridine) (Z.-Z. Zhang, H. Cheng, S.-M. Kuang, Y.-Q. Zhou, Z.-X. Liu, J.-K. Zhang and H.-G. Wang), 1

Electrochemistry

Regioselective phosphine attack on the coordinated alkyne in $Co_2(\mu\text{-alkyne})$ complexes. Reactivity studies and X-ray diffraction structures of $Co_2(CO)_4(bma)(\mu\text{-}HC{\equiv}C^tBu)$ and the zwitterionic hydrocarbyl complexes $Co_2(CO)_4[\mu\text{-}\eta^2{:}\eta^2{:}\eta^1{:}\eta^1\text{-}RC{=}C(R')PPh_2C{=}C(PPh_2)C(O)OC(O)]$ (K. Yang, S.G. Bott and M.G. Richmond), 65

Synthetic, structural and electrochemical studies on some ferrocenylazines: crystal structures of [4](1)(1,4-dimethyl-2,3-diazabuta-1,3-dien)ferrocenophane and [4$_2$](1,1′)bis(1,4-dimethyl-2,3-diazabuta-1,3-dien)ferrocenophane (A.G. Osborne, M. Webba da Silva, M.B. Hursthouse, K.M.A. Malik, G. Opromolla and P. Zanello), 167

EPR spectra

Synthesis and structure of trinuclear methoxy-bridged titanium(III)–magnesium complexes: $[(C_5H_{5-n}Me_n)_2Ti(\mu\text{-}OMe)_2]_2Mg$ (n = 4 and 5) (R. Gyepes, J. Hiller, U. Thewalt, M. Polášek, P. Šindelář and K. Mach), 177

Ethylene polymerization

Novel zirconacyclopentadiene complex; 8,8-bis(cyclopentadienyl)-7,9-bis(trimethylstannyl)-8-zirconabicyclo[4.3.0]nona-1(9),6(7)-diene: synthesis, X-ray analysis, and catalytic activity for ethylene polymerization (K. Oouchi, M. Mitani, M. Hayakawa, T. Yamada and T. Mukaiyama), 111

Extended Hückel calculations

Regioselective phosphine attack on the coordinated alkyne in $Co_2(\mu\text{-alkyne})$ complexes. Reactivity studies and X-ray diffraction structures of $Co_2(CO)_4(bma)(\mu\text{-}HC{\equiv}C^tBu)$ and the zwitterionic hydrocarbyl complexes $Co_2(CO)_4[\mu\text{-}\eta^2{:}\eta^2{:}\eta^1{:}\eta^1\text{-}RC{=}C(R')PPh_2C{=}C(PPh_2)C(O)OC(O)]$ (K. Yang, S.G. Bott and M.G. Richmond), 65

Ferrocene

Ferrocene derivatives containing anthracene linked by spacers (G. Wagner, R. Herrmann and W. Scherer), 225

Ferrocenophane

Synthetic, structural and electrochemical studies on some ferrocenylazines: crystal structures of [4](1)(1,4-dimethyl-2,3-diazabuta-1,3-dien)ferrocenophane and [4$_2$](1,1′)bis(1,4-dimethyl-2,3-diazabuta-1,3-dien)ferrocenophane (A.G. Osborne, M. Webba da Silva, M.B. Hursthouse, K.M.A. Malik, G. Opromolla and P. Zanello), 167

Ferrocenyl azines

Synthetic, structural and electrochemical studies on some ferrocenylazines: crystal structures of [4](1)(1,4-dimethyl-2,3-diazabuta-1,3-dien)ferrocenophane and [4$_2$](1,1′)bis(1,4-dimethyl-2,3-diazabuta-1,3-dien)ferrocenophane (A.G. Osborne, M. Webba da Silva, M.B. Hursthouse, K.M.A. Malik, G. Opromolla and P. Zanello), 167

Ferrocenyl ligands

Synthesis and molecular structures of palladium and platinum complexes of PTFA: models of Grignard cross-coupling catalysts (B. Jedlicka, R.E. Rülke, W. Weissensteiner, R. Fernández-Galán, F.A. Jalón, B.R. Manzano, J. Rodríguez-de la Fuente, N. Veldman, H. Kooijman and A.L. Spek), 97

Germanium

[6-*O*-(1,2:3,4-Di-*O*-isopropylidene-α-D-galactopyranosyl)methyl]tin derivatives (P.J. Cox, S.J. Garden, R.A. Howie, O.A. Melvin and J.L. Wardell), 213

Grignard cross-coupling catalysis

Synthesis and molecular structures of palladium and platinum complexes of PTFA: models of Grignard cross-coupling catalysts (B. Jedlicka, R.E. Rülke, W. Weissensteiner, R. Fernández-Galán,

F.A. Jalón, B.R. Manzano, J. Rodríguez-de la Fuente, N. Veldman, H. Kooijman and A.L. Spek), 97

Group 8

Reduction during π-(cyclopentadienyliron) complexation of 1,8-dichloroanthracene (M. Del Rosario Benites, F.R. Fronczek and A.W. Maverick), 17

Hydride

Alkoxohydridoaluminates: multinuclear NMR study of sodium hydrido-(2-methoxyethoxo)aluminates (Z. Černý, J. Fusek, J. Macháček, O. Kříž and B. Čásenský), 115

Hydroaromatics

Reduction during π-(cyclopentadienyliron) complexation of 1,8-dichloroanthracene (M. Del Rosario Benites, F.R. Fronczek and A.W. Maverick), 17

Hydroformylation

Phosphine oxides as ligands in the hydroformylation reaction (C. Abu-Gnim and I. Amer), 235

Imines

Reactions of orthomanganated aryl ketones with PhNSO and related species: a new route to orthomanganated imines (J.M. Cooney, L. Main and B.K. Nicholson), 191

Ion pairing

Alkoxohydridoaluminates: multinuclear NMR study of sodium hydrido-(2-methoxyethoxo)aluminates (Z. Černý, J. Fusek, J. Macháček, O. Kříž and B. Čásenský), 115

Iron

Ferrocene derivatives containing anthracene linked by spacers (G. Wagner, R. Herrmann and W. Scherer), 225

Oxidative addition of disulfides to the fragment CpFe(dppe)$^+$: steric and dielectric medium control on the reaction (C. Díaz, C. Leal and N. Yutronic), 59

Reduction during π-(cyclopentadienyliron) complexation of 1,8-dichloroanthracene (M. Del Rosario Benites, F.R. Fronczek and A.W. Maverick), 17

Synthetic, structural and electrochemical studies on some ferrocenylazines: crystal structures of [4](1)(1,4-dimethyl-2,3-diazabuta-1,3-dien)ferrocenophane and [4_2](1,1')bis(1,4-dimethyl-2,3-diazabuta-1,3-dien)ferrocenophane (A.G. Osborne, M. Webba da Silva, M.B. Hursthouse, K.M.A. Malik, G. Opromolla and P. Zanello), 167

Li

Nucleophilic substitution reactions of (η^6-fluorotoluene)$Cr(CO)_3$ and (η^6-fluoroanisole)$Cr(CO)_3$ toward phenylacetylide, fluorenyl, indolinyl and carbazolinyl lithium: crystal structures of tricarbonyl [η^6-(1,2-diphenylethynyl)benzene]chromium and tricarbonyl[η^6-(1,4-fluorenyl)toluene]chromium (F.-E. Hong, S.-C. Lo, M.-W. Liou, L.-F. Chou and C.-C. Lin), 123

Manganese

Reaction of tricarbonyl(*exo*-cyclopentadienyl-η^5-cyclohexadienyl)-manganese with aryllithium reagents: crystal structures of [C_5H_5-{(η^5-C_6H_6)$(CO)_2Mn$=$C(OC_2H_5)C_6H_5$}] and [C_5H_5-{(η^5-C_6H_6)$(CO)_2Mn$=$C(OC_2H_5)C_6H_4CH_3$-*o*}] (Y. Yu, J. Chen, X. Wang, Q. Wu and Q. Liu), 81

Reactions of orthomanganated aryl ketones with PhNSO and related species: a new route to orthomanganated imines (J.M. Cooney, L. Main and B.K. Nicholson), 191

Metallacycle

Novel zirconacyclopentadiene complex; 8,8-bis(cyclopentadienyl)-7,9-bis(trimethylstannyl)-8-zirconabicyclo[4.3.0]nona-1(9),6(7)-diene: synthesis, X-ray analysis, and catalytic activity for ethylene polymerization (K. Oouchi, M. Mitani, M. Hayakawa, T. Yamada and T. Mukaiyama), 111

Methoxy-bridged

Synthesis and structure of trinuclear methoxy-bridged titanium(III)–magnesium complexes: [$(C_5H_{5-n}Me_n)_2Ti(\mu$-$OMe)_2]_2Mg$ (n = 4 and 5) (R. Gyepes, J. Hiller, U. Thewalt, M. Polášek, P. Šindelář and K. Mach), 177

Molybdenum

Synthesis and characterization of dinuclear m- and o-xylene bridged complexes of cyclopentadienyltricarbonylmolybdenum and their derivatives. The crystal structure of bis(methylcyclopentadienyltricarbonylmolybdenum)-α,α'-μ-o-xylene (S. Lin, L.-K. Liu, N.-T. Wang and H.-Y. Wu), 207

Multinuclear NMR studies

Preparation of and multinuclear NMR studies on intramolecular chalcogen–tin coordination in compounds of the type $Me_2Sn(X)$–CH_2–CH_2–CH_2–$P(E)Ph_2$ (X = halogen, E = chalcogen) (T.N. Mitchell and B. Godry), 133

Neodymium

Neutral lanthanide silyl complexes via σ-bond metathesis reactions (N.S. Radu, T.D. Tilley and A.L. Rheingold), 41

Nitrile complexes

Synthesis and crystal structure of [(η^5-$C_5H_5)_2Ti(\eta^2$-COR)-$B(C_6H_5)_3CN$] (M. Pankowski, C. Cabestaing and G. Jaouen), 11

NMR spectroscopy

Alkoxohydridoaluminates: multinuclear NMR study of sodium hydrido-(2-methoxyethoxo)aluminates (Z. Černý, J. Fusek, J. Macháček, O. Kříž and B. Čásenský), 115

Nucleophilic substitution

Organometallic cluster complexes with face-capping arene ligands VII. Nucleophilic substitution of fluoride in a facially coordinated arene ligand (H. Wadepohl, T. Borchert and H. Pritzkow), 187

Organometallic polydentate ligand

Coordination chemistry of organometallic polydentate ligands. Studies on the syntheses and properties of Fe–M binuclear complexes prepared from organometallic tridentate ligand trans-Fe-$(CO)_3(Ph_2Ppy)_2$ (Ph_2Ppy = 2-(diphenylphosphino)pyridine) (Z.-Z. Zhang, H. Cheng, S.-M. Kuang, Y.-Q. Zhou, Z.-X. Liu, J.-K. Zhang and H.-G. Wang), 1

Orthometallation

Reactions of orthomanganated aryl ketones with PhNSO and related species: a new route to orthomanganated imines (J.M. Cooney, L. Main and B.K. Nicholson), 191

Oxidative addition

Oxidative addition of disulfides to the fragment CpFe(dppe)$^+$: steric and dielectric medium control on the reaction (C. Díaz, C. Leal and N. Yutronic), 59

Palladium

Synthesis and molecular structures of palladium and platinum complexes of PTFA: models of Grignard cross-coupling catalysts (B. Jedlicka, R.E. Rülke, W. Weissensteiner, R. Fernández-Galán, F.A. Jalón, B.R. Manzano, J. Rodríguez-de la Fuente, N. Veldman, H. Kooijman and A.L. Spek), 97

Phosphabicyclohexane

Synthesis of phosphine–borane complexes of P-heterocycles (G. Keglevich, K. Újszászy, Á. Szöllősy, K. Ludányi and L. Tőke), 139

Phosphepine

Synthesis of phosphine–borane complexes of P-heterocycles (G. Keglevich, K. Újszászy, Á. Szöllősy, K. Ludányi and L. Tőke), 139

Phosphine–borane complex
Synthesis of phosphine–borane complexes of P-heterocycles (G. Keglevich, K. Újszászy, Á. Szöllősy, K. Ludányi and L. Tőke), 139
Phosphine complexes
Regioselective phosphine attack on the coordinated alkyne in $Co_2(\mu$-alkyne) complexes. Reactivity studies and X-ray diffraction structures of $Co_2(CO)_4(bma)(\mu$-$HC{\equiv}C^tBu)$ and the zwitterionic hydrocarbyl complexes $Co_2(CO)_4[\mu$-$\eta^2{:}\eta^2{:}\eta^1{:}\eta^1$-$RC{=}C(R')PPh_2C{=}C(PPh_2)C(O)OC(O)]$ (K. Yang, S.G. Bott and M.G. Richmond), 65
Phosphine oxide
Phosphine oxides as ligands in the hydroformylation reaction (C. Abu-Gnim and I. Amer), 235
Photochemistry
The exploratory far-UV photochemistry of 1-methyl-1-silabicyclo-[2.2.1]hept-2-ene and 2-trimethylsilylbicyclo[2.2.1]hept-2-ene (M.G. Steinmetz, Q. Chen and Y. Zheng), 25
Platinum
Synthesis and molecular structures of palladium and platinum complexes of PTFA: models of Grignard cross-coupling catalysts (B. Jedlicka, R.E. Rülke, W. Weissensteiner, R. Fernández-Galán, F.A. Jalón, B.R. Manzano, J. Rodríguez-de la Fuente, N. Veldman, H. Kooijman and A.L. Spek), 97
^{31}P NMR: Intramolecular chalcogen–tin coordination
Preparation of and multinuclear NMR studies on intramolecular chalcogen–tin coordination in compounds of the type $Me_2Sn(X)$–CH_2–CH_2–CH_2–CH_2–$P(E)Ph_2$ (X = halogen, E = chalcogen) (T.N. Mitchell and B. Godry), 133
Polysilanes
Modifizierungsreaktionen an Polyphenylsilin und vernetzten Polysilanen (W. Uhlig), 147
Polysilynes
Modifizierungsreaktionen an Polyphenylsilin und vernetzten Polysilanen (W. Uhlig), 147
Polysulfide
Synthesis and reactions of polythiadisilabicyclo[*k.l.m*]alkanes (N. Choi, K. Asano, N. Sato and W. Ando), 155
Potassium–graphite
Modifizierungsreaktionen an Polyphenylsilin und vernetzten Polysilanen (W. Uhlig), 147
Pyranose derivatives
[6-*O*-(1,2:3,4-Di-*O*-isopropylidene-α-D-galactopyranosyl)methyl]tin derivatives (P.J. Cox, S.J. Garden, R.A. Howie, O.A. Melvin and J.L. Wardell), 213

Reactions
Reaction of tricarbonyl(*exo*-cyclopentadienyl-η^5-cyclohexadienyl)-manganese with aryllithium reagents: crystal structures of $[C_5H_5$-$\{(\eta^5$-$C_6H_6)(CO)_2Mn{=}C(OC_2H_5)C_6H_5\}]$ and $[C_5H_5$-$\{(\eta^5$-$C_6H_6)(CO)_2Mn{=}C(OC_2H_5)C_6H_4CH_3$-$o\}]$ (Y. Yu, J. Chen, X. Wang, Q. Wu and Q. Liu), 81
Rearrangement
The exploratory far-UV photochemistry of 1-methyl-1-silabicyclo[2.2.1]hept-2-ene and 2-trimethylsilylbicyclo[2.2.1]hept-2-ene (M.G. Steinmetz, Q. Chen and Y. Zheng), 25
Rhenium
Dialkyldicarbonyl rhenium complexes $(\eta^5$-$C_5Me_5)Re(CO)_2R_2$, R = Me and Et. X-ray structure of *trans*-$(\eta^5$-$C_5Me_5)Re(CO)_2Et_2$ (A.H. Klahn, C. Manzur, A. Toro and M. Moore), 51
Rhodium
Phosphine oxides as ligands in the hydroformylation reaction (C. Abu-Gnim and I. Amer), 235
Samarium
Neutral lanthanide silyl complexes via σ-bond metathesis reactions (N.S. Radu, T.D. Tilley and A.L. Rheingold), 41
Silane Direct synthesis
Effects of hydrogen chloride addition to the direct reaction of methylene chloride with elemental silicon (S.H. Yeon, J.S. Han, B.R. Yoo and I.N. Jung), 91
1-Silanorbornene
The exploratory far-UV photochemistry of 1-methyl-1-silabicyclo[2.2.1]hept-2-ene and 2-trimethylsilylbicyclo[2.2.1]hept-2-ene (M.G. Steinmetz, Q. Chen and Y. Zheng), 25
Silicon
Effects of hydrogen chloride addition to the direct reaction of methylene chloride with elemental silicon (S.H. Yeon, J.S. Han, B.R. Yoo and I.N. Jung), 91
Neutral lanthanide silyl complexes via σ-bond metathesis reactions (N.S. Radu, T.D. Tilley and A.L. Rheingold), 41
Novel zirconacyclopentadiene complex; 8,8-bis(cyclopentadienyl)-7,9-bis(trimethylstannyl)-8-zirconabicyclo[4.3.0]nona-1(9),6(7)-diene: synthesis, X-ray analysis, and catalytic activity for ethylene polymerization (K. Oouchi, M. Mitani, M. Hayakawa, T. Yamada and T. Mukaiyama), 111
Synthesis and reactions of polythiadisilabicyclo[*k.l.m*]alkanes (N. Choi, K. Asano, N. Sato and W. Ando), 155
The exploratory far-UV photochemistry of 1-methyl-1-silabicyclo[2.2.1]hept-2-ene and 2-trimethylsilylbicyclo[2.2.1]hept-2-ene (M.G. Steinmetz, Q. Chen and Y. Zheng), 25
2-Silylnorborene
The exploratory far-UV photochemistry of 1-methyl-1-silabicyclo[2.2.1]hept-2-ene and 2-trimethylsilylbicyclo[2.2.1]hept-2-ene (M.G. Steinmetz, Q. Chen and Y. Zheng), 25
Silyls
Neutral lanthanide silyl complexes via σ-bond metathesis reactions (N.S. Radu, T.D. Tilley and A.L. Rheingold), 41
Silyltriflates
Modifizierungsreaktionen an Polyphenylsilin und vernetzten Polysilanen (W. Uhlig), 147
^{119}Sn NMR
Preparation of and multinuclear NMR studies on intramolecular chalcogen–tin coordination in compounds of the type $Me_2Sn(X)$–CH_2–CH_2–CH_2–CH_2–$P(E)Ph_2$ (X = halogen, E = chalcogen) (T.N. Mitchell and B. Godry), 133
Structure
Coordination chemistry of organometallic polydentate ligands. Studies on the syntheses and properties of Fe–M binuclear complexes prepared from organometallic tridentate ligand trans-Fe-$(CO)_3(Ph_2Ppy)_2$ (Ph_2Ppy = 2-(diphenylphosphino)pyridine) (Z.-Z. Zhang, H. Cheng, S.-M. Kuang, Y.-Q. Zhou, Z.-X. Liu, J.-K. Zhang and H.-G. Wang), 1
Sulfur
Synthesis and reactions of polythiadisilabicyclo[*k.l.m*]alkanes (N. Choi, K. Asano, N. Sato and W. Ando), 155
Synthesis
Coordination chemistry of organometallic polydentate ligands. Studies on the syntheses and properties of Fe–M binuclear complexes prepared from organometallic tridentate ligand trans-Fe-$(CO)_3(Ph_2Ppy)_2$ (Ph_2Ppy = 2-(diphenylphosphino)pyridine) (Z.-Z. Zhang, H. Cheng, S.-M. Kuang, Y.-Q. Zhou, Z.-X. Liu, J.-K. Zhang and H.-G. Wang), 1
The exploratory far-UV photochemistry of 1-methyl-1-silabicyclo[2.2.1]hept-2-ene and 2-trimethylsilylbicyclo[2.2.1]hept-2-ene (M.G. Steinmetz, Q. Chen and Y. Zheng), 25

Thiolate complexes
Oxidative addition of disulfides to the fragment CpFe(dppe)$^+$: steric and dielectric medium control on the reaction (C. Díaz, C. Leal and N. Yutronic), 59
Thiolato
Diorganotin 1,3-dithiole-2-thione-4,5-dithiolate compounds, R_2Sn-(dmit): the crystal structure of MePhSn(dmit) (S.M.S.V. Doidge-Harrison, J.T.S. Irvine, A. Khan, G.M. Spencer, J.L. Wardell and J.H. Aupers), 199
Thione
Diorganotin 1,3-dithiole-2-thione-4,5-dithiolate compounds, R_2Sn-(dmit): the crystal structure of MePhSn(dmit) (S.M.S.V. Doidge-Harrison, J.T.S. Irvine, A. Khan, G.M. Spencer, J.L. Wardell and J.H. Aupers), 199
Tin
[6-*O*-(1,2:3,4-Di-*O*-isopropylidene-α-D-galactopyranosyl)methyl]tin derivatives (P.J. Cox, S.J. Garden, R.A. Howie, O.A. Melvin and J.L. Wardell), 213
Diorganotin 1,3-dithiole-2-thione-4,5-dithiolate compounds, R_2Sn-(dmit): the crystal structure of MePhSn(dmit) (S.M.S.V. Doidge-Harrison, J.T.S. Irvine, A. Khan, G.M. Spencer, J.L. Wardell and J.H. Aupers), 199
Novel zirconacyclopentadiene complex; 8,8-bis(cyclopentadienyl)-7,9-bis(trimethylstannyl)-8-zirconabicyclo[4.3.0]nona-1(9),6(7)-diene: synthesis, X-ray analysis, and catalytic activity for ethylene polymerization (K. Oouchi, M. Mitani, M. Hayakawa, T. Yamada and T. Mukaiyama), 111
Titanium
Synthesis and crystal structure of $[(\eta^5\text{-}C_5H_5)_2Ti(\eta^2\text{-}COR)\text{-}B(C_6H_5)_3CN]$ (M. Pankowski, C. Cabestaing and G. Jaouen), 11
Synthesis and structure of trinuclear methoxy-bridged titanium(III)–magnesium complexes: $[(C_5H_{5-n}Me_n)_2Ti(\mu\text{-}OMe)_2]_2Mg$ (n = 4 and 5) (R. Gyepes, J. Hiller, U. Thewalt, M. Polášek, P. Šindelář and K. Mach), 177
Titanium(III)–magnesium complexes
Synthesis and structure of trinuclear methoxy-bridged titanium(III)–magnesium complexes: $[(C_5H_{5-n}Me_n)_2Ti(\mu\text{-}OMe)_2]_2Mg$ (n = 4 and 5) (R. Gyepes, J. Hiller, U. Thewalt, M. Polášek, P. Šindelář and K. Mach), 177
X-ray structure
Synthesis and crystal structure of $[(\eta^5\text{-}C_5H_5)_2Ti(\eta^2\text{-}COR)\text{-}B(C_6H_5)_3CN]$ (M. Pankowski, C. Cabestaing and G. Jaouen), 11
Synthesis and molecular structures of palladium and platinum complexes of PTFA: models of Grignard cross-coupling catalysts (B. Jedlicka, R.E. Rülke, W. Weissensteiner, R. Fernández-Galán, F.A. Jalón, B.R. Manzano, J. Rodríguez-de la Fuente, N. Veldman, H. Kooijman and A.L. Spek), 97
Synthesis and structure of trinuclear methoxy-bridged titanium(III)–magnesium complexes: $[(C_5H_{5-n}Me_n)_2Ti(\mu\text{-}OMe)_2]_2Mg$ (n = 4 and 5) (R. Gyepes, J. Hiller, U. Thewalt, M. Polášek, P. Šindelář and K. Mach), 177
X-ray structure analysis
Ferrocene derivatives containing anthracene linked by spacers (G. Wagner, R. Herrmann and W. Scherer), 225
Xylenes
Synthesis and characterization of dinuclear m- and o-xylene bridged complexes of cyclopentadienyltricarbonylmolybdenum and their derivatives. The crystal structure of bis(methylcyclopentadienyltricarbonylmolybdenum)-α,α'-μ-o-xylene (S. Lin, L.-K. Liu, N.-T. Wang and H.-Y. Wu), 207
Yttrium
Neutral lanthanide silyl complexes via σ-bond metathesis reactions (N.S. Radu, T.D. Tilley and A.L. Rheingold), 41
Zirconium
Novel zirconacyclopentadiene complex; 8,8-bis(cyclopentadienyl)-7,9-bis(trimethylstannyl)-8-zirconabicyclo[4.3.0]nona-1(9),6(7)-diene: synthesis, X-ray analysis, and catalytic activity for ethylene polymerization (K. Oouchi, M. Mitani, M. Hayakawa, T. Yamada and T. Mukaiyama), 111